





Deauthorize ArcGIS Desktop Single Use License

If the the ArcGIS Desktop Single Use License will be transferred to another machine, the license has to be de-authorized first before it can be used in a different machine.

If the license is already authorized in a machine, and it is used to authorize another machine, the following message will appear, "Authorization denied because request would have exceeded max copies for the <authorization number>".

De-authorize Single Use License

- 1. Open the ArcGIS Administrator by navigating to Start > Programs > ArcGIS > ArcGIS Administrator.
- 2. Click on the Support Operations folder, and then click Deauthorize.

Street Administrator		-		×
ArcGIS ArcGIS ArcBiblity Availability Borrow/Return Support Operations Data Licenses	To remove licenses from your machine for Single Us	e features click	Deauthoria	ze:
	Deauthorize			
Help	ОК	Cancel	Арр	lγ

3. In the Software Authorization Wizard, select Deauthorize now with Esri using the Internet. Click Next.

Software Authorization Wizard	\times
Deauthorization Method Select the method you want to use to deauthorize the software.	
 Deauthorize with Esri now using the Internet. (This automatic method is the easiest way to deauthorize. It requires an Internet connection.) Deauthorize at Esri's website or by email to receive your deauthorization file. 	
I have received a deauthorization file from Esri and am now ready to finish the deauthorization process.	
browse	
< Back Next > Cano	el

4. In the Deauthorization Options, select the licenses you would like to deauthorize. Click Next to deauthorize.

Software Authorization Wizard			×
Deauthorization Options Select the features you would like to deauth	horize.		
Please select which features you would like to d	leauthorize:		
Feature	Version	Expires	^
Desktop Advanced	10.1-10.5		
☑ 3D Analyst	10.1-10.5		
Spatial Analyst	10.1-10.5		
✓ Network Analyst	10.1-10.5		
✓ Publisher	10.1-10.5		
Data Interoperability	10.1-10.5		
Geostatistical Analyst	10.1-10.5		
Tracking Analyst	10.1-10.5		
Schematics	10.1-10.5		
Full Motion Video	10.1-10.5		
Workflow Manager	10.1-10.5		
✓ Data Reviewer	10.1-10.5		
Aviation Charting	10.1-10.5		
Defense Mapping	10.1-10.5		
Production Mapping	10.1-10.5		
✓ Location Referencing Desktop	10.1-10.5		
			¥
Select/Deselect All			
To complete the deauthorization process,	please click Next.		
	,		
	< Back	Vext >	Cancel

5. The Deauthorization Complete screen displays that the license had successfully been deauthorized. Click Finish.

The license can now be authorized in another machine.

NOTES:

- The ArcGIS Desktop Single Use License are limited to four (4) deauthorizations per year. The year starts on the date of the first deauthorization.
- In some cases, license reset may be necessary. For example, after moving an ArcGIS application to a new computer, failure to authenticate licensing through a firewall occurs. Another instance is when the computer where the license is authorized can no longer be accessed. In these cases, contact Geodata Systems Technical Support for a license reset.